

Contents of Volume 67, 1993–1994

VOL. 67, NOS. 1–2

DECEMBER 1993

Research Papers

- Indirect measurement of leaf area index in Pima cotton (*Gossypium barbadense* L.) using a commercial gap inversion method
D.A. Grantz, X.J. Zhang, P.D. Metheny and D.W. Grimes 1
- Transpiration of well-watered and water-stressed Asian pear trees as determined by lysimetry, heat-pulse, and estimated by a Penman–Monteith model
H.W. Caspari, S.R. Green and W.R.N. Edwards 13
- Spatial and interannual variations in the photothermal quotient: implications for the potential kernel number of wheat crops in Argentina
G.O. Magrin, A.J. Hall, C. Baldy and M.O. Grondona 29
- DALI: an automated laser distance system for measuring profiles of vegetation
H. Sinoquet, M. Valmorin, X. Cabo and R. Bonhomme 43
- Wind erosion in the Southern Sahelian Zone and induced constraints to pearl millet production
K. Michels, M.V.K. Sivakumar and B.E. Allison 65
- The horizontal component of solar radiation
J.C.H. van der Hage 79
- Leaf bud endodormancy release in peach trees: evaluation of temperature models in temperate and tropical climates
P. Balandier, M. Bonhomme, R. Rageau, F. Capitan and E. Parisot 95
- Micrometeorological and chamber measurements of CO₂ flux from bare soil
W.A. Dugas 115
- Vertical distributions of canopy foliage and biologically active radiation in a defoliated/refoliated hardwood forest
X. Yang, D.R. Miller and M.E. Montgomery 129
- Book Reviews*
- Advances in Bioclimatology 147
- Agricultural Ecosystem Effects 149

FORTHCOMING PAPERS

- A comparative study of mass and energy exchange rates over a closed C₃ (wheat) and an open C₄ (corn) crop: II. CO₂ exchange and water use efficiency (D. Baldocchi)
- Applying an empirical model of stomatal conductance to three C-4 grasses (R.L. Dougherty, J.A. Bradford, P.I. Coyne and P.L. Sims)
- An evaluation of a surface energy balance method for partitioning ET data into plant and soil components for a surface with partial canopy cover (W.J. Massman and J.M. Ham)

VOL. 67, NOS. 3–4

JANUARY 1994

Research Papers

- Climate-based estimates of potential forage yields in Canada using a crop growth model
A. Bootsma, J. Boisvert and J. Dumanski (Ottawa, Ont., Canada) 151

Dew and guttation: formation and environmental significance R.N. Hughes and P. Brimblecombe (Norwich, UK)	173
A comparative study of mass and energy exchange over a closed C ₃ (wheat) and an open C ₄ (corn) canopy: I. The partitioning of available energy into latent and sensible heat exchange D. Baldocchi (Oak Ridge, TN, USA)	191
Rainfall interception and evaporation from soil below a wheat canopy R. Leuning, A.G. Condon, F.X. Dunin, S. Zegelin and O.T. Denmead (Canberra, A.C.T., Australia)	221
Observations of coherent structures from a scanning lidar over an irrigated orchard D.I. Cooper, W.E. Eichinger, D.E. Hof, D. Seville-Jones, R.C. Quick and J. Tiee (Los Alamos, NM, USA)	239
An evaluation of a surface energy balance method for partitioning ET data into plant and soil components for a surface with partial canopy cover W.J. Massman (Fort Collins, CO, USA) and J.M. Ham (Manhattan, KS, USA)	253
Applying an empirical model of stomatal conductance to three C-4 grasses R.L. Dougherty, J.A. Bradford (Woodward, OK, USA), P.I. Coyne (Hayes, KS, USA) and P.L. Sims (Woodward, OK, USA)	269
A comparative study of mass and energy exchange rates over a closed C ₃ (wheat) and an open C ₄ (corn) crop: II. CO ₂ exchange and water use efficiency D. Baldocchi (Oak Ridge, TN, USA)	291
<i>Book Reviews</i>	
Agroclimatic/Agrometeorological Techniques	323
Microclimate, Vegetation and Fauna	326

